


In-situ probes can monitor stable water isotopes within the soil and the xylem of trees. This enables us to observe how trees are changing the source depths of their water uptake depending on water availability.




- Delayed response of xylem isotopic signature to abrupt changes in soil water availability / isotopic signature caused by rainfall events after drying periods
- Changes in xylem isotope signature occur due to:
 - Changes of the soil water isotopic depth profile
 - Downwards shift of the dominant depth of root water uptake due to drying topsoil
 - Upwards shift of the dominant depth of root water uptake after rewetting of topsoil

Inferring plant physiologic parameters for root water uptake modelling from high frequency in-situ isotope measurements

Stefan Seeger, Michael Rinderer, Markus Weiler

Chair of Hydrology, Albert-Ludwigs-University of Freiburg
stefan.seeger@hydrology.uni-freiburg.de

EXPERIMENT



- Sap flow sensors have been installed close to each xylem isotope probe
- Early summer precipitation provided additional ^{18}O -label spike for topsoil

CONCLUSION

In-situ probes allow for subdaily monitoring of isotopic signatures of soil and xylem water.


Compared to conventional destructive methods, this method is less invasive and allows repeated measurements at the exact same locations.

Observations of shifting uptake patterns may be used to infer critical matric potentials for root water uptake.


Time delays between changes in soil and xylem isotopic signatures may be used to infer information about root distributions and water transport within the plant.

METHODS

- Continuous sampling of stable water isotopes within a sample gas stream using cavity ring down spectroscopy (**CRDS**)
- In-situ sampling of soil or xylem water via **equilibration** through a **gas permeable membrane probe head**
- One probe at a time is connected to the CRDS
- Total number of measurements ranges from 50 to 150 per day
- **Automated operation** with freely configurable measurement cycle using a **Python GUI** and an **Arduino** based **valve and gas flow control system**
- **Automated transmission of pre-processed measurement results** does not require high bandwidths (~20kB/h) and allows remote monitoring of the measurements



RESULTS



- Small standard deviations between soil isotope measurements within one day
- Slightly higher standard deviations between xylem isotope measurements
 - still accurate enough to detect signature changes under natural conditions
- Dominant depths of root water uptake shift downwards before decrease in sap flow velocities can be observed

References:

- Volkmann, T. H. M. and Weiler, M. (2014) Continuous in situ monitoring of pore water stable isotopes in the subsurface. *Hydrol. Earth Syst. Sci.*, 18, 1819–1833. doi:10.5194/hess-18-1819-2014
- Volkmann, T. H. M., Kühnhammer, K., Herbrich, B., Gessler, A., and Weiler, M. (2016) A method for in situ monitoring of the isotope composition of tree xylem water using laser spectroscopy. *Plant, Cell & Environment*, 39, 2055–2063. doi: 10.1111/pce.12725
- Volkmann, T.H.M., Haberger, K., Gessler, A. and Weiler, M. (2016) High-resolution isotope measurements resolve rapid ecohydrological dynamics at the soil–plant interface. *New Phytol.*, 210, 839–849. doi:10.1111/nph.13868

Related Contributions at EGU2020

EGU2020-3451 | Displays | HS10.3/BG2.20

Where does the water come from? Variations in soil water uptake depth in a beech forest during the 2018 drought

Arthur Geßler, Lukas Bächli, Kerstin Treydtre, Matthias Saurer, Matthias Häni, Roman Zweifel, Andreas Rigling, Marcus Schaub, Stefan Seeger, Barbara Herbsritt, Markus Weiler, and Katrin Meusburger

Wed, 06 May, 14:00–15:45 | D446

EGU2020-17975 | Displays | HS10.3/BG2.20

Simulating soil-plant-atmosphere interactions for sub-daily in situ observations of stable isotopes in soil and xylem water to assess two-pore domain model hypothesis

Fabian Bernhard, Stefan Seeger, Markus Weiler, Arthur Gessler, and Katrin Meusburger

Wed, 06 May, 14:00–15:45 | D461

EGU2020-16786 | Displays | HS10.3/BG2.20

Monitoring tree species-specific water uptake strategies via continuous in-situ stable water isotope measurements

Natalie Orlowski, Stefan Seeger, David Mennekes, Hugo de Boer, Markus Weiler, and Michael Rinderer

Wed, 06 May, 14:00–15:45 | D464

EGU2020-218 | Displays | HS10.3/BG2.20

Isotope labeling experiment to infer ecohydrological travel times

David Mennekes, Michael Rinderer, Stefan Seeger, Hugo de Boer, Natalie Orlowski, and Markus Weiler

Wed, 06 May, 14:00–15:45 | D463